

Pressure sensitive adhesive for PVC films

Abstract

5 An adhesive comprising

a polymer obtainable by free-radical addition polymerization of ethylenically unsaturated compounds (monomers) and synthesized from at least 60% by weight of principal monomers selected from

10 C1 to C20 alkyl (meth)acrylates, vinyl esters of carboxylic acids containing up to 20 carbon atoms, vinyl aromatics having up to 20 carbon atoms, ethylenically unsaturated nitriles, vinyl halides, vinyl ethers of alcohols containing 1 to 10 carbon atoms, aliphatic hydrocarbons having 2 to 4 carbon atoms and one or two double bonds, and mixtures of these monomers, and

15 from more than 1% by weight of monomers containing at least two nonconjugated polymerizable vinyl groups.